



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 14, 1998

Rainier View Water
PO Box 44427
Tacoma WA 98444

Dear Sir or Madame:

Re: Ground Water Permit No. G2-25490

In response to your request, an extension is being granted to enable you to complete the construction of your project covered under the above referenced number.

This extension is granted until August 1, 1999. Enclosed is a Notice of Completion of Construction form, which must be filed on or before August 1, 1999.


This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this decision was mailed. At the same time your appeal must be sent to the Department of Ecology c/o Enforcement Officer, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of the Order. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,

J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th
Enclosure

S



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

- ☐ BEGINNING OF CONSTRUCTION
☐ COMPLETION OF CONSTRUCTION

98 APR 27 A9:20

REGIONAL OFFICE

NAME <u>Southwood</u>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <u>G2-25490</u>
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED	DATE COMPLETION EXPECTED <u>4/99</u>

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE <u>85%</u>	% MATERIAL IN PLACE <u>85%</u>	% EXCAVATED <u>100%</u>	% STRUCTURE <u>85%</u>
------------------------------------	-----------------------------------	----------------------------	---------------------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

waiting for additional materials to be installed along
with easements for completion

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.

OK FOR extension
CC 8-1-95 8-1-99
5/4/98
SC

Tony Peredo
Tony Peredo/Operations Assist
Signature of Applicant
P.O. Box 44427
Present Address
Tacoma, WA 98444
City, State, Zip Code

S

On: 04/28/1998 At: 02:56 pm

Department of Ecology (4610)
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095



Date **04/29/1998**

Receipt Name

Comment Description **WATER RIGHTS G2-25490**[illegible]



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

'98 APR 27 A9:20

April 10, 1998

DEPARTMENT OF ECOLOGY
REGIONAL OFFICE

Rainier View Water Company
PO Box 44427
Tacoma WA 98444

Dear Sir or Madame:

Re: Ground Water Permit No. G2-25490 (*Southwood System*)

In reviewing your permit, we find you have not submitted a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, we must update your file. Please send us a letter requesting an extension of time to extend the completion of construction date from August 1, 1995 thru August 1, 1999. Please submit the statutory extension fee of \$5.00 per year, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension. If you are no longer interested in the permit, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Permit No. ~~G2-25845~~ or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

Sincerely,

Signature

Sheri Carroll

Sheri Carroll
Water Resources

SC:th(8AG)

S



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

☐ BEGINNING OF CONSTRUCTION

☒ COMPLETION OF CONSTRUCTION

RECEIVED

JAN 18 A10:42

Pd 100.00 / 13560

Pd 5.00 / 13561

NAME Southwood		SURFACE WATER PERMIT NO. W-10000		GROUND WATER PERMIT NO. G2 - 25490	
DATE CONSTRUCTION BEGAN ---		DATE CONSTRUCTION COMPLETED ---		DATE COMPLETION EXPECTED 6/95	
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE					
% EQUIPMENT IN PLACE 80%	% MATERIAL IN PLACE 80%	% EXCAVATED 100%	% STRUCTURE 80%		
IF CONSTRUCTION HAS BEEN ABANDONED					
DATE ABANDONED		REASON ABANDONED			

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

**Waiting ;for additional Materials to be installed along with
additional Easements for extention.**

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.

Tony Peredo / Operations Assistant

Signature of Applicant

P.O. Box 44427 Ta

Present Address

Tacoma, WA 98444

City, State, Zip Code

DEPARTMENT OF ECOLOGY
FPSS/BASS/FISCAL OFFICE/CASHIERING SECTION

DATE: 01/19/94

CASHIERING RECEIPT
PAGE: 1 OF 1

RECEIVED FROM: RAINEIER WATER COMPANY

AMOUNT: \$5.00
DATE: 01/20/94
RECEIPT NO: 94-092574
CHECK/MO NO: 13561

PHONE: (206) 459-6207
P.O. BOX 5128
LACEY, WA 98503-5128

PURPOSE: EXTENSION FEE

PERMIT NO:
MANIFEST NO:
CASHIER:

GRAN461

(For low-level surcharge only.)

NAMES:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

FOR ACCOUNTING PURPOSES:
CJ NO: 461C0575

RECEIPT CODING:

INV/CAT CD	ID/APPL NO	TYPE	AMOUNT	FUND DISTRIBUTION	
	G2-25490	GCA	\$5.00	001- -001- - - - -	-02-85-000010

S

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

January 5, 1994

Richardson Water Company
PO Box 44427
Tacoma, Washington 98444

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-25490

In reviewing your permit, we find you have not submitted a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension. If you are no longer interested in this permit, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Permit No. G 2-25490 or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

Sincerely,

Signature

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:th(8AG)

S

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

July 23, 1992

Richardson Water Company
P.O. Box 44427
Tacoma, Washington 98444

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-25490

In response to your request, a three year extension is being granted to enable you to complete the construction of your project covered under the above referenced number.

This extension is effective from August 1, 1990, through August 1, 1993. Enclosed is a Notice of Completion of Construction form which must be filed on or before August 1, 1993, or you must contact this office.

Under the provisions of Chapter 43.21B RCW, this is an appealable decision. Any person wishing to submit an appeal may contact this office for procedures.

Sincerely,

A handwritten signature in cursive script that reads "Gale Blomstrom".

Gale Blomstrom
Water Resources Supervisor

GB:pz
Enclosure

S

RAINIER VIEW WATER CO., INC.
P.O. BOX 44427 - 219 115TH ST
TACOMA, WA 98444
PHONE: 537-6634
1-800-562-6542
FAX 537-7896

88 12 04

July 14, 1992

Dept. of Ecology
7272 Cleanwater Ln.
LU-11
Olympia, WA 98504-6811

Attn: Sheri Fox

Subject: Permit No. G2-25490
Southwood Water System

Dear Ms. Fox:

At this time Rainier View Water Co. is formally requesting an extension on the above mentioned permit. At this time this permit is 80% complete.

If you have any further questions regarding this matter please contact me.

Respectfully



Tony Peredo
Operations Assistant

OK for extension
Send letter
cc 8-1-90-8-1-93

S

WASHINGTON STATE
DEPARTMENT OF ECOLOGY

RECEIPT

182304

RECEIVED FROM

Ranger View Water Co

19

92

FUND:

General

Rec.Rev.

Basic Data

Other

Cash

SOURCE:

Check

Water Code

Publications

Adjudications

Refunds

M.O.

Per. and Lic.

Investments

Registration

Other

Permit 02-25490

Check 12293

By

D. J. J. S

Thank You

ECY 010-144

S

24 JUN 91 12:16

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE



☒ BEGINNING OF CONSTRUCTION

☐ COMPLETION OF CONSTRUCTION

NAME Rainier View Water Co.		SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. G2-25490 P
DATE CONSTRUCTION BEGAN Well #1 -NA-		DATE CONSTRUCTION COMPLETED -NA-	DATE COMPLETION EXPECTED ---
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE			
% EQUIPMENT IN PLACE 100%	% MATERIAL IN PLACE 100%	% EXCAVATED 100%	% STRUCTURE 100%
IF CONSTRUCTION HAS BEEN ABANDONED			
DATE ABANDONED	REASON ABANDONED		

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.



Signature of Applicant

P.O. Box 44427
Present Address

Tacoma, WA 98444
City, State, Zip Code

26 JUN 91 11 16

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY


CONSTRUCTION NOTICE

- ☒ BEGINNING OF CONSTRUCTION
☐ COMPLETION OF CONSTRUCTION

NAME Rainier View Water Co.		SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. G2-25490 P
DATE CONSTRUCTION BEGAN Well #2 -NA-		DATE CONSTRUCTION COMPLETED -NA-	DATE COMPLETION EXPECTED ---
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE			
% EQUIPMENT IN PLACE 100%	% MATERIAL IN PLACE 100%	% EXCAVATED 100%	% STRUCTURE 100%
IF CONSTRUCTION HAS BEEN ABANDONED			
DATE ABANDONED	REASON ABANDONED		

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.


Signature of Applicant
P.O. Box 44427
Present Address
Tacoma, WA 98444
City, State, Zip Code

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE


☒ BEGINNING OF CONSTRUCTION

☐ COMPLETION OF CONSTRUCTION

NAME Rainier View Water Co.		SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. G2-25490 P
DATE CONSTRUCTION BEGAN Well #3 -NA-		DATE CONSTRUCTION COMPLETED -NA-	DATE COMPLETION EXPECTED ---
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE			
% EQUIPMENT IN PLACE 100%	% MATERIAL IN PLACE 100%	% EXCAVATED 100%	% STRUCTURE 100%
IF CONSTRUCTION HAS BEEN ABANDONED			
DATE ABANDONED		REASON ABANDONED	

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.


Signature of Applicant

P.O. Box 44427

Present Address

Tacoma, WA 98444

City, State, Zip Code

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

☒ BEGINNING OF CONSTRUCTION

☐ COMPLETION OF CONSTRUCTION

NAME Rainier View Water Co.	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. G2-25490 P
DATE CONSTRUCTION BEGAN Well #5 -NA-	DATE CONSTRUCTION COMPLETED -NA-	DATE COMPLETION EXPECTED -NA-

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE


% EQUIPMENT IN PLACE 100%	% MATERIAL IN PLACE 100%	% EXCAVATED 100%	% STRUCTURE 100%
-------------------------------------	------------------------------------	----------------------------	----------------------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.


Signature of Applicant

P.O. Box 44427
Present Address

Tacoma, WA 98444
City, State, Zip Code

S

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

June 12, 1991

CERTIFIED MAIL

Richardson Water Companies
Post Office Box 44427
Tacoma, Washington 98444

Re: Ground Water Permit No. G 2-25490 P

Dear Sir or Madame:

In reviewing your permit, we find you have not responded to our letter of April 23, 1991, requesting a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension.

If you do not submit the enclosed form within sixty (60) days from receipt of this letter, an order of cancellation will be issued.

Sincerely,

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:cl
Enclosure

S

2

P 469 203 962

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED
NOT FOR INTERNATIONAL MAIL
(See Reverse)

U.S.G.P.O. 1989-234-555

Sent to		G2-25490
Street and No.		
P.O., State and ZIP Code		
Postage	\$	
Certified Fee		
Special Delivery Fee		
Restricted Delivery Fee		
Return Receipt showing		

G2-25490

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to: Richardson Water Companies Post Office Box 44427 Tacoma, WA 98444		4. Article Number P 469 203 962	
		Type of Service: <input type="checkbox"/> Registered <input type="checkbox"/> Insured <input checked="" type="checkbox"/> Certified <input type="checkbox"/> COD <input type="checkbox"/> Express Mail <input type="checkbox"/> Return Receipt for Merchandise	
		Always obtain signature of addressee or agent and DATE DELIVERED.	
5. Signature — Address X		8. Addressee's Address (ONLY if requested and fee paid)	
6. Signature — Agent X <i>AO Pende</i>			
7. Date of Delivery <i>6-14-91</i>			

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

April 23, 1991

Richardson Water Companies
Post Office Box 44427
Tacoma, Washington 98444

Re: Ground Water Permit No. G 2-25490

Dear Sir or Madame:

In reviewing your permit, we find you have not submitted a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension. If you are no longer interested in the permit, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Permit No. G 2-25490 or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

Signature

Sincerely,

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:th

S

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

September 11, 1990

CERTIFIED MAIL

Richardson Water Company
(Southwood Water System)
Post Office Box 44427
Tacoma, Washington 98444

Re: Ground Water Permit No. G 2-25490

Dear Sir or Madame:

In reviewing your permit, we find you have not responded to our letter of August 9, 1990, requesting a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension.

If you do not submit the enclosed form within sixty (60) days from receipt of this letter, an order of cancellation will be issued.

Sincerely,

Sheri Fox

Sheri Fox
Water Resources

SF:ch
Enclosure

S

P 469 203 799

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED
NOT FOR INTERNATIONAL MAIL
(See Reverse)

99-234-555

Sent to	Richardson Water
Street and No.	

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge)
2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to
Richardson Water Company
(Southwood Water System)
Post Office Box 444277
Tacoma, Washington 98444

4. Article Number
P 469 203 799

Type of Service:

- | | |
|---|---|
| <input type="checkbox"/> Registered | <input type="checkbox"/> Insured |
| <input checked="" type="checkbox"/> Certified | <input type="checkbox"/> COD |
| <input type="checkbox"/> Express Mail | <input type="checkbox"/> Return Receipt for Merchandise |

Always obtain signature of addressee or agent and **DATE DELIVERED**.

5. Signature — Address

X

6. Signature — Agent

X

7. Date of Delivery

9-14-96

8. Addressee's Address (ONLY if requested and fee paid)

PS Form 3811, Mar. 1988

* U.S.G.P.O. 1988-212-865

DOMESTIC RETURN RECEIPT

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

August 9, 1990

Richardson Water company
(Southwood Water System)
Post Office Box 44427
Tacoma, Washington 98444

Re: Ground water Permit No. G 2-25490

Dear Sir or Madame:

In reviewing your permit, we find you have not submitted a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension. If you are no longer interested in the permit, please sign the statement below and return to this office.

Sincerely,

for Vicki Windust
Sheri Fox
Water Resources Specialist

SF:th
Enclosure

I AM NO LONGER INTERESTED IN PROCESSING GROUND WATER APPLICATION
NO. G 2-25490 AND HEREBY AGREE TO IT BEING CANCELLED.

(Signature)

S